## **IN THE CLAIMS**

This is a complete and current listing of the claims, marked with status identifiers in parentheses. The following listing of claims will replace all prior versions and listings of claims in the application.

- 1. (Previously Presented) A recording medium provided on at least one of opposite sides thereof with at least one ink-receiving layer, characterized in that said ink-receiving layer comprises an inorganic pigment, a water-soluble resin and/or water-dispersible resin, thiodipropionic acid or a salt thereof, and tocopherol or a derivative thereof.
- 2. (Previously Presented) A recording medium according to claim 1, wherein thiodipropionic acid or its salt and tocopherol or its derivative are added in a total proportion of from 1 to 20 wt.% based on said inorganic pigment.
- 3. (Currently Amended) A recording medium according to claim 1-or 2, wherein said inorganic pigment is an aluminum hydrate having the boehmite or pseudo-boehmite structure.
- 4. (Previously Presented) A recording medium according to claim 3, wherein a water dispersion of said aluminum hydrate has a zeta (ζ) potential of +40 mV or higher at pH
  3.5 to 4.5.

- 5. (Previously Presented) A recording medium according to claim 3, wherein said ink-receiving layer further comprises a boron compound.
- 6. (Currently Amended) An inkjet recording medium comprising a recording medium according to any one of claims 1-5.